



TOOL TETHERING + DROPPED OBJECTS SAFETY HANDBOOK



SOLUTIONS, SUPPORT AND OUR COMPLETE OBJECTS AT HEIGHTS LINEUP

MISTAKES HIT HARDER UP HERE

ONE SMALL DROP. ONE TON OF TROUBLE.

More and more workers are finding themselves ascending to heights in all industries, and along with them, the tools and equipment necessary to do the job.

Join us in setting a higher standard in at-heights safety with innovative solutions, immersive education and a proactive game plan to stop drops and the damage done. Hit back against gravity at ergo.zone/drops.



TABLE OF CONTENTS

RISK	PG. 4-5
PREVENTION	PG. 6-7
STANDARD	PG. 8-9
DESIGN & TESTING	PG. 10-11
PRODUCT SOLUTIONS	
TOOL TETHERING KITS	PG. 12-15
ANCHOR ATTACHMENTS	PG. 16-17
TOOL ATTACHMENTS	PG. 18-25
RETRACABLE LANYARDS	PG. 26
WRIST LANYARDS	PG. 27
TOOL LANYARDS	PG. 28-32
GLOVE CLIPS	PG. 33
TOOL ORGANIZATION	PG. 34
TOOL BELTS & SUSPENDERS	PG. 35
BAGS & POUCHES	PG. 36-37
HOIST BUCKETS	PG. 38-39




VIEW DOCUMENT ONLINE HERE

THE RISK

LUCK IS BAD POLICY.
DROPS WILL HAPPEN.

A NEAR-NUCLEAR LESSON ON THE
IMPORTANCE OF KEEPING THINGS
TETHERED AND TIED.



ONE DROP. UNTHINKABLE CATASTROPHE.

The most serious nuclear threat in the history of the U.S. came not from the Soviets, but from a single nine-pound wrench socket.

Dropped by an airman performing maintenance on a Titan II missile at a launch complex in Damascus, Arkansas, the socket fell 70 feet, ripping a hole in a fuel tank, leading to an explosion that forced a 9-megaton warhead out of the ground.

Thankfully, safety features prevented any loss of radioactive spillage or detonation—but the explosion killed one and injured about twenty more. The 1980 Damascus Titan missile explosion is a drastic example of what can result from operating like everything is going to work perfectly every time. In this case, it almost wiped an entire state off the map.



THE RISING COST OF FALLING OBJECTS

Severe injury and fatality from dropped objects—even something as small as a wrench socket—are all too common, resulting in thousands of injuries, hundreds of deaths, hundreds of millions in total costs and who knows how many close calls every year.



50,000+ INJURIES

Falling objects or equipment resulted in 5%+ of all workplace injuries.



OVER 300 FATALITIES

Represents approximately half of all “struck by” incidents and 5% of all workplace fatalities.



OVER \$450,000,000

Fatalities x \$1.4M = the average cost per fatal accident.

*ANNUAL AVERAGES PER BLS & NSC DATA

PREVENTION

**GET DROPS PREVENTION
DOWN TO A “T”**
A COMPLETE TETHERING
SYSTEM 101

THE 3Ts OF DROPS PREVENTION

We all know the ABCs of human fall protection. But what about the “3Ts” of fall protection for tools and equipment?

- 1 **TRAPPED**
- 2 **TETHERED**
- 3 **TOPPED**

1 2 3

TRAPPED

CREATING CONNECTION POINTS ON TOOLS AND EQUIPMENT

Trapping refers to retrofitting a connection point onto a tool or primary anchor for a safer attachment point. Most tools do not come with a secure attachment point built into the tool. In these situations, a secure attachment point must be created.



1 2 3

TETHERED

RETENTION BETWEEN TOOLS/GEAR AND ANCHOR POINTS

Tethering is the retention of tools and equipment to the anchor points that hold them. This is often achieved through use of a tool lanyard. These lanyards should have the proper connection on each end for the tools and anchors being used. They should also be made with a shock-absorbing design whenever possible.



1 2 3

TOPPED

SECURE CLOSURE ON CONTAINERS FOR TOOLS AND EQUIPMENT

Tool pouches, bags and hoist buckets/bags should have a secure closure or “top” that can cover contents and prevent them from spilling if tipped. All containers may have tethering points available to attach tool lanyards but, if a container does not have a secure closure, it must have these tethering points available.



THE STANDARD

ANSI/ISEA 121
A HIGHER STANDARD IN
AT-HEIGHTS SAFETY




Recognizing the pressing need for formal guidelines within the category of Objects at Heights, leading safety equipment manufacturers like Ergodyne joined forces with the International Safety Equipment Association (ISEA) to develop a standard for tethering and transporting tools and equipment. ANSI/ISEA 121 is the first standard for this type of equipment.



WHAT ANSI/ISEA 121 COVERS

Similar to ANSI Z359 for fall protection, ANSI/ISEA 121 is recognized as industry best practice. Though not directly enforceable by OSHA, the standard can be referred to under the General Duty Clause to interpret a better way for protecting workers against falling objects. The current standard focuses on four classes of preventative solutions actively used by workers to mitigate dropped objects: tool attachments, anchor attachments, tool tethers and containers.

The measure does not address things like passive preventative solutions (netting, toe boards, etc.) or best practices in the field—like telling workers where they should connect a tool lanyard on their harnesses.




ANCHOR ATTACHMENTS

Retrofit attachment points installed onto tools and equipment, allowing them to be tethered.



TOOL TETHERS

Lanyards that connect tools to an anchor point.



TOOL ATTACHMENTS

Retrofit attachment points installed onto tools and equipment, allowing them to be tethered.



CONTAINERS

Bags and buckets used to transport tools and equipment to and from at-heights work zones.

DESIGN & TESTING

Preventing wayward wrenches from wreaking worksite havoc is one thing. Doing it without creating time-sucking tangles or even new hazards is quite another. Squids Lanyards offer obsessively designed solutions for any environment—from wide open spaces to cramped quarters.

TESTED TO BE TRUSTED

Every component of our Tethering Systems is stringently tested at a certified, third-party testing lab.

SCAN TO SEE THIRD-PARTY TESTING >>>



TRAPPED: SQUIDS TOOL + ANCHOR ATTACHMENTS A hold-on-tight tethering point for every tool.

From power tools to water bottles, you’ve got the hookup with Squids Tool + Anchor Attachments—helping create an ANSI-approved tethering point on...just about anything.



POWER TOOLS
Retrofit tethering points for power tools can get clunky. Squids Tool + Anchor Attachments stay out of the way of tool operation and a job well done.



HAND TOOLS
From spud wrench to the smallest wee little hex wrench, you’ll find a Squids solution to tie off hand tools of any size, shape or weight.



INSTRUMENTS + DEVICES
Avoid dropped calls, flying Dasani and tumbling tape measures. If it’s going up, we’ve got solutions to lock it down.



TETHERED: SQUIDS EQUIPMENT + TOOL LANYARDS Don’t let your drops prevention solution become part of the problem.

With mindful considerations for every workspace, Squids Lanyards make sure you don’t get twisted up in a game of safety whack-a-mole trying to squash the drops.



SHOCK ABSORBING
Don’t let your lanyard drag you down. Shock-absorbing designs help reduce the dynamic force on the body if a drop occurs.



RETRACTABLE
Eliminate the octopus effect with retractable designs that limit snag hazards and keep a low profile when anchored.



RESILIENT MATERIALS
Designed and constructed to withstand heavy, repeated use and the rugged realities of your worksite.



TOPPED: ARSENAL GEAR + TOOL STORAGE Hoist it. Holster it. Haul it.

Spend less time thinking about the best way to safely bring what you need above ground level and more time thinking about your regularly scheduled conundrum with Arsenal Gear + Tool Storage.



SECURE CLOSURES
Keep tools, gear and hardware secure when your world gets turned upside down.



TETHER POINTS
Add more ANSI-rated attachment points to your tool rig while also housing small parts and hardware.



HEAVY-DUTY CONSTRUCTION
Hard work is hard on gear. Arsenal Gear + Tool Storage is built and tested to hold up to extreme environments and use.

TOOL TETHERING & DROPPED OBJECTS SAFETY:

TOOL TETHERING KITS

One kit. One worker. Squids Trades Specific Tethering Kits are locked and loaded with everything you need to tether the most common tools for your trade (with simplified step-by-step instructions to boot).





3183

CARPENTER & LABORER'S TETHERING KIT

KIT INCLUDES: 3713 Elastic Tool Tail (3), 3700 Web Tool Tail (6), 3755 Self-Adhering Tape Trap (2), 3704 Wire Loop Tool Tail (6), 3770L Tape Measure Trap (1), 3780L Power Tool Trap™ (1), 3156 Coil Tool Lanyard (2), 3118F(x) Tool Lanyard (1), 3108F(x) Tool Lanyard (1), 3400 Glove Clip - Dual Clip (1)





3160

TOWER CLIMBER TETHERING KIT

KIT INCLUDES: 3780L Power Tool Trap (3), 3704 Wire Loop Tool Tail (6), 3700 Web Tool Tail (6), 3755 Self-Adhering Tape Trap (1), 3770L Tape Measure Trap (1), 3740 Hand Tool Trap - S (4), M (4), L (4), XL (4), 3790 Shackle Trap - S (2), M (2), L (2), 3713 Elastic Tool Tail (3), 3118F(x) Tool Lanyard (1), 3108F(x) Tool Lanyard (1), 3166 Coil Tool Lanyard (1), 3002 Retractable Tool Lanyard (1)





3184

CONCRETE FINISHER & MASON'S TETHERING KIT

KIT INCLUDES: 3713 Elastic Tool Tail (3), 3700 Web Tool Tail (6), 3755 Self-Adhering Tape Trap (2), 3797 Power Tool Trap - Grinder (1), 3770L Tape Measure Trap (1), 3156 Coil Tool Lanyard (2), 3118F(x) Tool Lanyard (1), 3108F(x) Tool Lanyard (1), 3400 Glove Clip - Dual Clip (1)





3185

GLAZIER'S TETHERING KIT

KIT INCLUDES: 3713 Elastic Tool Tail (3), 3700 Web Tool Tail (6), 3755 Self-Adhering Tape Trap (2), 3704 Wire Loop Tool Tail (6), 3780L Power Tool Trap (1), 3775 Water Bottle/Canister Trap (1), 3770L Tape Measure Trap (1), 3156 Coil Tool Lanyard (2), 3118F(x) Tool Lanyard (1), 3108F(x) Tool Lanyard (1), 3400 Glove Clip - Dual Clip (1)





3186

IRON/STEEL WORKER'S TETHERING KIT

KIT INCLUDES: 3713 Elastic Tool Tail (6), 3700 Web Tool Tail (6), 3755 Self-Adhering Tape Trap (2), 3790XL Shackle Trap (2), 3770L Tape Measure Trap (1), 3780L Power Tool Trap (1), 3156 Coil Tool Lanyard (2), 3118F(x) Tool Lanyard (1), 3108F(x) Tool Lanyard (1), 3400 Glove Clip - Dual Clip (1)





3187

SCAFFOLDER'S TETHERING KIT

KIT INCLUDES: 3713 Elastic Tool Tail (6), 3700 Web Tool Tail (6), 3755 Self-Adhering Tape Trap (2), 3790XL Shackle Trap (2), 3770L Tape Measure Trap (1), 3156 Coil Tool Lanyard (2), 3118F(x) Tool Lanyard (1), 3108F(x) Tool Lanyard (1), 3400 Glove Clip - Dual Clip (1)

TOOL TETHERING & DROPPED OBJECTS SAFETY:

TOOL TETHERING KITS

Don't need the full-on safety smorgasbord? Squids Tool Specific Tethering Kits are our à la carte offering of existing tool connector and lanyard pairings for tethering the everyday essentials.



MAXIMUM LOAD LIMIT

2 LBS
.9 KG

ANSI/ISEA

121

3180

TOOL TETHERING KIT

KIT INCLUDES: 3700 Web Tool Tail (6), 3755 Self-Adhering Tape Trap (1), 3130S Coil Tool Lanyard (1)



MAXIMUM LOAD LIMIT

5 LBS
2.3 KG

ANSI/ISEA

121

3181

TOOL TETHERING KIT

KIT INCLUDES: 3103 Detachable Loops (3), 3755 Self-Adhering Tape Trap (1), 3102F(x) Tool Lanyard-Modular (1)



MAXIMUM LOAD LIMIT

10 LBS
4.5 KG

ANSI/ISEA

121

3182

TOOL TETHERING KIT

KIT INCLUDES: 3713 Elastic Loop Tail (3), 3755 Self-Adhering Tape Trap (1), 3100F(x) Tool Lanyard (1)



MAXIMUM LOAD LIMIT

2 LBS
.9 KG

ANSI/ISEA

121

3190

TAPE MEASURE TETHERING KIT

KIT INCLUDES: 3770L Tape Measure Trap (1), 3130S Coil Tool Lanyard (1)



MAXIMUM LOAD LIMIT

10 LBS
4.5 KG

ANSI/ISEA

121

3191

POWER TOOL TETHERING KIT

KIT INCLUDES: 3780L Power Tool Trap (1), 3100F(x) Tool Lanyard (1)



MAXIMUM LOAD LIMIT

3 LBS
1.4 KG

ANSI/ISEA

121

3192

WRIST LANYARD TETHERING KIT

KIT INCLUDES: 3103 Detachable Loops (3), 3755 Self-Adhering Tape Trap (1), 3116 Wrist Lanyard-Buckle (1)



MAXIMUM LOAD LIMIT

2 LBS
.9 KG

ANSI/ISEA

121

3193

TAPE MEASURE TETHERING KIT


KIT INCLUDES: 3770L Tape Measure Trap (1), 3100F(x) Tool Lanyard (1)



TOOL TETHERING & DROPPED OBJECTS SAFETY:

ANCHOR ATTACHMENTS

Put a stake in the ~~ground~~ sky. With extra strength webbing and heavy-duty d-rings, Squids Tether Anchors securely wrap around equipment, railings, belts and tools to create reliable attachment points on any site, at any height.



3178



3178

LOCKING AERIAL BUCKET
HOOK WITH TETHERING POINT SOLD AS PACKS OF 1 OR 2

MAXIMUM LOAD LIMIT
7 LBS
3 KG

LOWER
ANCHOR POINT



3172

MAXIMUM LOAD LIMIT
2 LBS
0.9 KG



8231TV

HI-VIS TOOL TETHERING SAFETY VEST
WITH 20+ TETHERING POINTS

MAXIMUM LOAD LIMIT
25 LBS
12 KG



3174

ANCHOR CHOKE STRAP FOR
TOOL TETHERING

MAXIMUM LOAD LIMIT
40 LBS
18 KG



3176

ANCHOR CHOKE STRAP FOR
TOOL TETHERING

MAXIMUM LOAD LIMIT
5 LBS
2.3 KG



3171

ANCHOR STRAP BELT LOOP ATTACHMENT
FOR TOOL TETHERING (2-PACK)

MAXIMUM LOAD LIMIT
5 LBS
2.3 KG



3172

ANCHOR STRAP HOOK & LOOP CLOSURE
FOR TOOL TETHERING (2-PACK)

MAXIMUM LOAD LIMIT
60 LBS
27 KG



3177

ANCHOR CHOKE STRAP FOR
TOOL TETHERING

TOOL TETHERING & DROPPED OBJECTS SAFETY:

TOOL ATTACHMENTS

Nowhere to attach your lanyard? Not anymore. Squids Hand Tool Slips, Traps and Tails are the easily installable anchoring solutions you need to confidently fly higher without telling everyone to look out below.



*tool & lanyard not included



3745

TOOL GRIP & TETHER ATTACHMENT POINT (2-PACK)



4 SIZES AVAILABLE

3740

HAND TOOL TRAP™ - SLIPS® (4-PACK)



*tool & lanyard not included



3785

SPLIT RING TOOL ATTACHMENT (10-PACK)



4 SIZES AVAILABLE



3790

TOOL SHACKLE (2-PACK)



*tool & lanyard not included



SOLD IN PACKS OF 2



3791

SLEEVE/CONNECTING BAR LOCK COLLAR WITH TOOL ATTACHMENT POINT



3791

TOOL TETHERING & DROPPED OBJECTS SAFETY:

TOOL ATTACHMENTS

With simple, straight forward install, Tool Tails™ & Tape are your 1-2 punch for creating tether points on a wide range of hand tools.



MAXIMUM LOAD LIMIT

10 LBS
4.5 KG

ANSI/ISEA 121

3714

ELASTIC TOOL TAIL™ LANYARD WITH CARABINER & CINCH LOOP (3-PACK)



MAXIMUM LOAD LIMIT

5 LBS
2.3 KG

ANSI/ISEA 121

3103

TOOL TAIL™ DETACHABLE LOOPS (3-PACK)



MAXIMUM LOAD LIMIT

15 LBS
6.8 KG

ANSI/ISEA 121

3703

ELASTIC TOOL TETHER ATTACHMENTS WITH LOOP TAILS™ (3-PACK)



MAXIMUM LOAD LIMIT

10 LBS
4.5 KG

ANSI/ISEA 121

3713

ELASTIC TOOL TETHER ATTACHMENT WITH LOOP TOOL TAILS™ SWIVEL (3-PACK)



3755
SELF-ADHERING TAPE



CARABINER TO CAPTIVE EYE



CINCH LOOP AROUND CAPTIVE EYE



MAXIMUM LOAD LIMIT

5 LBS
2.3 KG

ANSI/ISEA 121

3706

WEB TOOL TETHER ATTACHMENTS WITH D-RING TOOL TAILS™ (3-PACK)



MAXIMUM LOAD LIMIT

2 LBS
.9 KG

ANSI/ISEA 121

3707

WEB TOOL TETHER ATTACHMENTS WITH NON-CONDUCTIVE D-RING TOOL TAILS™ (6-PACK)



MAXIMUM LOAD LIMIT

2 LBS
.9 KG

ANSI/ISEA 121

3700

WEB TOOL TETHER ATTACHMENTS WITH D-RING TOOL TAILS™

SOLD AS PACKS OF 5, 6 OR 60



MAXIMUM LOAD LIMIT

15 LBS
6.8 KG

ANSI/ISEA 121

3755

SELF-ADHERING TOOL TETHERING TAPE

SOLD AS PACKS OF 1 OR 10

ergodyne.com 800 225-8238

21

TOOL TETHERING & DROPPED OBJECTS SAFETY:

TOOL ATTACHMENTS

Harness your power. Squids Power Tool Attachments secure the heavy hitters to put your mind (and the worksite below) at ease when you're grinding, drilling or impact driving it out above ground level.

MAXIMUM LOAD LIMIT

6 LBS
2.7 KG

ANSI/ISEA
121



3780S

MAXIMUM LOAD LIMIT

10 LBS
4.5 KG


ANSI/ISEA
121



3780L

3780

POWER TOOL TRAP™ WITH D-RING CONNECTION POINT



MAXIMUM LOAD LIMIT

8 LBS
3.6 KG

ANSI/ISEA
121



3797





*tool & lanyard not included

3797

POWER TOOL TRAP™ - GRINDER BRACKET

MAXIMUM LOAD LIMIT

5 LBS
2.3 KG

ANSI/ISEA
121



3798





*tool & lanyard not included

3798

POWER TOOL TRAP™ - PNEUMATIC BRACKET

TOOL TETHERING & DROPPED OBJECTS SAFETY:

TOOL ATTACHMENTS

If a waist-high drop cracks your phone screen, imagine the damage 10 stories can do. Squids Instrument & Device Series is loaded with all sorts of handy solutions to keep a firm hold on anything from radios to tape measures and bottles.



3770XL



3770L / 3770XL

TAPE MEASURE TRAP



3772

RADIO HOLSTER TRAP



3775s / 3775L

CAN / BOTTLE HOLDER & TRAP



3760

CELL PHONE POUCH & TRAP




3701

MICRO ADHESIVE TOOL ATTACHMENT (10-PACK)



3708

WIRE SCREW GATE TOOL TAILS™ (6-PACK)



3704

WIRE LOOP TOOL TAILS™ (6-PACK)



TOOL TETHERING & DROPPED OBJECTS SAFETY:

RETRACTABLE TOOL LANYARDS

Work. Retract. Repeat. Squids Retractable & Wrist Lanyards are a tour de force of tool-touting safety and convenience, with durable patented designs and self-setting length features that make the ol' black thumb a distant memory.



3000 / 3001

RETRACTABLE TOOL LANYARD WITH DUAL STAINLESS-STEEL CARABINERS // STAINLESS-STEEL CARABINER & LOOP



3002

RETRACTABLE TOOL LANYARD WITH LOCKING CARABINER & BELT LOOP



3026

RETRACTABLE ACCESSORIES (3-PACK)

WRIST TOOL LANYARDS



3114

PULL-ON WRIST TOOL LANYARD WITH CARABINER



3115

WRIST TOOL LANYARD



3116

PULL-ON WRIST TOOL LANYARD WITH BUCKLE



3122

PULL-ON WRIST TOOL LANYARD WITH CARABINER ANCHOR



3123

TOOL WRISTBAND WITH D-RING ANCHOR

TOOL TETHERING & DROPPED OBJECTS SAFETY:

TOOL LANYARDS + TETHERS

Tethers can stop a tool from crashing to the ground, but they can't stop gravity. Squids Shock-Absorbing Lanyards prevent free-falling wrenches AND absorb the shock load of the catch to save workers and tools from damage-inducing whiplash.



3102F(x)
TOOL LANYARD WITH DETACHABLE CARABINER & CINCH LOOP



3104F(x)
TOOL LANYARD WITH CARABINER & CHOKE LOOP



3100 SOLD AS PACKS OF 1, 10, OR 100
TOOL LANYARD WITH CARABINER & CINCH LOOP



3105 SOLD AS PACKS OF 1, 10, OR 100
TOOL LANYARD WITH CARABINER & CINCH LOOP



SEE SQUIDS® SHOCK-ABSORBING LANYARDS NEXT TO POPULAR IMITATORS



3108F(x) / 3118F(x)
TOOL LANYARD WITH LOCKING CARABINER & LOOP / DUAL LOCKING CARABINERS



3109F(x) / 3119F(x)
TOOL LANYARD WITH DOUBLE-LOCKING SWIVEL CARABINER & LOOP / DUAL DOUBLE-LOCKING SWIVEL CARABINERS



3100F(x) / 3110F(x)
TOOL LANYARD WITH CARABINER & LOOP / DUAL CARABINERS



3101F(x) / 3111F(x)
TOOL LANYARD WITH STAINLESS-STEEL CARABINER & LOOP / DUAL STAINLESS-STEEL CARABINERS



TOOL TETHERING & DROPPED OBJECTS SAFETY:

TOOL LANYARDS + TETHERS



3129 / 3139

TOOL LANYARD WITH DOUBLE-LOCKING SWIVEL CARABINER & LOOP / DUAL DOUBLE-LOCKING SWIVEL CARABINERS

40 LBS 18 KG
ANSI/ISEA 121



3148 / 3149

TOOL LANYARD WITH XL LOCKING CARABINER & LOOP / XL LOCKING CARABINER & SWIVEL CARABINER

80 LBS 36 KG
ANSI/ISEA 121



3153
WEB LANYARD WITH DUAL TRIGGER HOOKS (3-PACK)

5 LBS 2.3 KG
ANSI/ISEA 121

3154
WEB LANYARD WITH DUAL SCREW GATE CARABINERS (3-PACK)


5 LBS 2.3 KG
ANSI/ISEA 121



3130s / 3130M
COILED CABLE TOOL LANYARD

2 LBS .9 KG
ANSI/ISEA 121

5 LBS 2.3 KG
ANSI/ISEA 121



3156
COILED TOOL LANYARD WITH SINGLE CARABINER

2 LBS .9 KG
ANSI/ISEA 121

3166
COILED TOOL LANYARD WITH DUAL CARABINERS

2 LBS .9 KG
ANSI/ISEA 121

TOOL TETHERING & DROPPED OBJECTS SAFETY:

TOOL LANYARDS + TETHERS



3151



3151

COIL LANYARD SWIVEL HOOK & DETACHABLE LOOP PLUS MINI ADHESIVE MOUNT



3152

COIL LANYARD WITH DUAL SWIVEL HOOKS (3-PACK)



3150 / 3155

ELASTIC HARD HAT LANYARD WITH BUCKLE / CLAMP
SOLD AS PACKS OF 1 OR 10



3157 / 3158

COILED HARD HAT LANYARD WITH BUCKLE / CLAMP

GLOVE CLIPS

They hold gloves, obviously, and just about anything else you might want. Rags, caps, glasses--you name it, they'll keep it close at hand.



SEE HOW GLOVE CLIPS KEEP PPE CLOSE WHILE OFFERING BREAKAWAY SAFETY

GLOVE CLIP COLORS:



Black



Blue



Orange



Lime



Red



Granite



Deep Blue
(Metal Detectable Only)



Translucent Blue
(Recycled Only)



3405

GLOVE CLIP HOLDER WITH BELT CLIP



3425

SWIVELING GLOVE CLIP HOLDER WITH BELT CLIP



3400

GLOVE CLIP HOLDER WITH DUAL CLIPS
SOLD AS PACKS OF 1 OR 100



BREAKAWAY DESIGN



3420

SWIVELING GLOVE CLIP HOLDER WITH DUAL CLIPS
SOLD AS PACKS OF 1 OR 100



SWIVELING DESIGN



3400-ECO

RECYCLED GLOVE CLIP HOLDER - DUAL CLIPS



3420



TOOL TETHERING & DROPPED OBJECTS SAFETY:

TOOL ORGANIZERS

Designed for life in the lift. Squids and Arsenal Aerial Bucket Hooks and Boards are specially engineered to make every inch of floor space count, keeping tools securely stored and safely tethered on even the most confined elevated worksites.



5710
BUCKET TRUCK TOOL BOARD

3 LBS
1.4 KG
D-RINGS

8 LBS
3.6 KG
GROMMETS

50 LBS
22.6 KG
STATIC TOTAL WEIGHT

ANSI/ISEA 121

HIDDEN RAIN COVER



3178
LOCKING AERIAL BUCKET
HOOK WITH TETHERING POINT

40 LBS
18 KG

ANSI/ISEA 121

7 LBS
3 KG
LOWER ANCHOR POINT

SOLD AS PACKS OF 1 OR 2



5556
3" PADDED TOOL BELT WITH TOOL ATTACHMENT POINTS

5 LBS
2.3 KG
D-RINGS

ANSI/ISEA 121



5557
7" PADDED TOOL BELT WITH TOOL ATTACHMENT POINTS

5 LBS
2.3 KG
D-RINGS

ANSI/ISEA 121



5558
7" PADDED TOOL BELT + HOT/COLD PACK (2-PACK)

5 LBS
2.3 KG
D-RINGS

ANSI/ISEA 121

TOOL BELTS & SUSPENDERS



5556



5566
TOOL BELT SUSPENDERS WITH
TOOL ATTACHMENT POINTS

5 LBS
2.3 KG
D-RINGS

ANSI/ISEA 121

TOOL TETHERING & DROPPED OBJECTS SAFETY:

AT-HEIGHTS BAGS & POUCHES


Strap it on, snap it shut, roll it out and cinch it tight. Arsenal Tool Belts and Tool Pouches are built with all the heavy-duty bells and productivity-boosting whistles so tools can conveniently—and safely—go wherever you do.

MAXIMUM LOAD LIMIT
20 LBS
9.1 KG



5926

TOPPED BOLT BAG TOOL POUCH - SHORT



MAXIMUM LOAD LIMIT
5 LBS
2.3 KG
D-RINGS

5926

MAXIMUM LOAD LIMIT
20 LBS
9.1 KG



5928

TOPPED BOLT BAG TOOL POUCH - TALL



MAXIMUM LOAD LIMIT
5 LBS
2.3 KG
D-RINGS

MAXIMUM LOAD LIMIT
20 LBS
9.1 KG



5527

TOPPED PARTS POUCH WITH SNAP-HINGE CLOSURE

MAXIMUM LOAD LIMIT
5 LBS
2.3 KG
D-RINGS

MAXIMUM LOAD LIMIT
20 LBS
9.1 KG



5528

CANVAS TOPPED PARTS POUCH

MAXIMUM LOAD LIMIT
5 LBS
2.3 KG
D-RINGS

MAXIMUM LOAD LIMIT
20 LBS
9.1 KG



5517

TOPPED TOOL POUCH WITH
SNAP-HINGE ZIPPER CLOSURE

MAXIMUM LOAD LIMIT
5 LBS
2.3 KG
D-RINGS

MAXIMUM LOAD LIMIT
20 LBS
9.1 KG



5538

TARPAULIN TOPPED PARTS POUCH



MAXIMUM LOAD LIMIT
50 LBS
22.6 KG

5843

TOOL BACKPACK WITH DUAL COMPARTMENT



TOOL TETHERING & DROPPED OBJECTS SAFETY:

HOIST BUCKETS

Punch tool security and organization up a notch. Arsenal Hoist Buckets boast a wicked combination of industrial strength construction and drop-stopping performance that makes challengers look like tomato cans.



5973
LARGE NYLON HOIST BUCKET
WITH D-RINGS & ZIPPER TOP



5974
LARGE NYLON HOIST BUCKET WITH
SWIVELING CARABINER & ZIPPER TOP



5976
XL NYLON HOIST BUCKET WITH
SWIVELING CARABINER & ZIPPER TOP



5977
LARGE NYLON HOIST BUCKET WITH D-RINGS,
SWIVELING CARABINER & ZIPPER TOP



5937 / 5938
NYLON HOIST BUCKET TOPS



5930T / 5935T
WEB HANDLE CANVAS HOIST BUCKET & TOP



5960T
CANVAS HOIST BUCKET WITH
D-RINGS & TOP



5940T / 5945T
SWIVELING CARABINER CANVAS
HOIST BUCKET & TOP



5970T
CANVAS HOIST BUCKET WITH
SWIVELING HOOK & TOP



INTERGALACTIC HEADQUARTERS:

44° 58' 18.31" N 93° 09' 12.88" W ALT. 934 FT.
1021 BANDANA BOULEVARD EAST
SUITE 220 SAINT PAUL, MN, USA 55108

PHONE 651 642 9889 // 800 225 8238

ERGODYNE.COM

©2026 Tenacious Holdings Inc. All Rights Reserved. All Wrongs Reversed. Ergodyne, Ergoman and design, Ergodyne badge logo, E logo, Tenacious Work Gear, Be Tenacious, Arsenal, Chill-Its, KREW'D, GloWear, N-Ferno, ProFlex, SHAX, Skullerz, Squids, and TREX are registered trademarks of Tenacious Holdings Incorporated and protected in the U.S. and abroad. AVC, Blue Marble, Buddy System, CHILLX, Comfort Hinge, Drops Free Zone, DSX, Fog-Off, Hot Rox, Make the Workplace a Betterplace, Open-Center Stay, Orange Squad, Power Panel Positioner, QuickCuff, Sticky Fingers, Squad Box, Storm Drains, Team Extreme, Team Tenacious, Tenacious Assault Vehicle, Tenacious Nation, Tenacious Talks, Tenacious Testers, Tenacious Toilet, Tenacious-U, Tena-Grip, Tena-Coat, Tenalux, THE NO BS SPF, Tool Tails, Tool Trap, Workday2Weekend and WSX are trademarks of Tenacious Holdings Incorporated. Trademarks of companies mentioned herein appear for identification purposes only and are the property of their respective companies. All other product names mentioned herein may be trademarks and/or registered trademarks of their respective owners Tenacious Holdings Inc. (dba Ergodyne) is a Klein Tools Company.

ergodyne®

**SOLUTIONS FOR A
DROPS FREE ZONE™**